



The Ohio Heart & Vascular Center

1990-95

- Muller DWM, Topol EJ, Harrelson L, Ellis SG, George BS, **Kereiakes DJ**, Samaha J, Worley S, Califf RM. Failure of conservative management post thrombolysis: profile of the TAMI-5 crossover population. *J Am Coll Cardiol* 1990; 15:63A.
- Wall TC, Califf RM, Topol EJ, Ellis SG, Sigmon K, **Kereiakes DJ**, George BS, Samaha J, Stack RS. Lack of impact of early catheterization and fibrin specificity on bleeding complications after thrombolytic therapy: results of a randomized trial. *J Am Coll Cardiol* 1990; 15:75A.
- Califf RM, Topol EJ, Harrelson L, George BS, **Kereiakes DJ**, Phillips HR, Samaha J, Worley S, Anderson J, Stack RS, and the TAMI Study Group. In-hospital clinical outcomes in the TAMI 5 study. *J Am Coll Cardiol* 1990; 15:76A.
- Waller BF, Pinkerton CA, **Kereiakes DJ**, Luther S, Pinto RP, Nasser, Smith, Pinkerton Cardiology and the Indiana Heart Institute, Indianapolis, Indiana. Morphologic analysis of 506 coronary atherectomy specimens from 107 patients: histologically similar findings of restenosis following primary balloon angioplasty versus primary atherectomy. *J Am Coll Cardiol* 1990; 15:197A.
- Chapman GD, O'Connor CM, **Kereiakes DJ**, George BS, Candela RJ, **Abbottsmith CW**, Harrelson, Ohman M. Consequences of misdiagnosis of acute myocardial infarction leading to thrombolytic therapy: a multicenter experience. *J Am Coll Cardiol* 1990; 15:227A.
- Whitlow PL, Robertson GC, Rowe MH, Douglas JS, Cowley MJ, **Kereiakes DJ**, Smucker ML, Hartzler GO, Hinohara T, Cleveland Clinic, Cleveland, Ohio. Directional coronary atherectomy for failed percutaneous transluminal coronary angioplasty. *Circulation* 1990; 82:III-1.
- Krucoff MW, Croll MA, Granger CB, Sigmon KN, Pope JE, Waugh RA, **Kereiakes DJ**, George BS, Samaha JK, Califf RM, Duke University, Durham, NC and the TAMI Study Group. Prospective blinded noninvasive detection of failed thrombolysis using digital trending from continuous 12-lead ST segment monitoring. *Circulation* 1990; 82:III-254.
- Ellis SG, DeCesare NB, Popma JJ, Ghazzai ZMB, Pinkerton CA, **Kereiakes DJ**, Holmes Dr, Topol EJ, University of Michigan, Ann Arbor, MI. Quantitative core lab analysis of directional coronary atherectomy (DCA) results: relation to lesion morphology and operator experience. *Circulation* 1990; 82:III-3II.
- Frid DJ, Young S, Woodlief LH, **Kereiakes DJ**, George BS, Bates ER, Duke University Medical Center, Durham, NC. Undercompensation: the role of non-infarct related zone in the pathogenesis of cardiogenic shock. *Circulation* 1990; 82:III-430.
- Wall TC, Topol EJ, George BS, Ellis SG, Samaha J, **Kereiakes DJ**, Worley SJ, Sigmon K, Califf RM, Duke University, Durham, NC. The TAMI-7 trial of accelerated plasminogen activator dose regimens for coronary thrombolysis. *Circulation* 1990; 82:III-538.
- Gibler WB, **Kereiakes DJ**. University of Cincinnati, Ohio. Prehospital treatment for acute myocardial infarction (AMI): few patients are eligible. *Circulation* 1990; 82:III-667.

- Califf RM, Topol EJ, George BS, **Kereiakes DJ**, Aronson LG, Lee KL, Martin L, Candela R, **Abbottsmith CW**, O'Neill WW, Pryor DB, Stack RS, and the TAMI Study Group. One-year outcome after therapy with tissue plasminogen activator: report from the Thrombolysis and Angioplasty in Acute Myocardial Infarction (TAMI) Trial. *Am Heart J* 1990; 119:777-785.
- Ohman EM, Califf RM, Topol EJ, Candela R, **Abbottsmith CW**, Ellis S, Sigmon KN, **Kereiakes DJ**, George BS, Stack R, and the TAMI Study Group. Consequences of reocclusion after successful reperfusion therapy in acute myocardial infarction. *Circulation* 1990; 82:781-791.
- O'Connor CM, Califf RM, Massey EW, Mark DB, **Kereiakes DJ**, Candela RJ, **Abbottsmith CW**, George BS, Stack RS, Aronson L, Mantell S, Topol EJ. Stroke and acute myocardial infarction in the thrombolytic era: clinical correlates and long-term prognosis. *J Am Coll Cardiol* 1990; 16:533-540.
- **Abbottsmith CW**, Topol EJ, George BS, Stack RS, **Kereiakes DJ**, Candela RJ, Harrelson L, Califf RM. Fate of patients with acute myocardial infarction with patency of the infarct-related vessel achieved with successful thrombolysis versus rescue angioplasty. *J Am Coll Cardiol* 1990; 16:770-8.
- George BS, Candela RJ, Topol EJ, Stack RS, **Kereiakes DJ**, **Abbottsmith CW**, Masek R, Pickel A, Dillon J, Harrelson L, Califf RM, and the TAMI Study Group. The brachial approach to emergency cardiac catheterization during thrombolytic therapy for acute myocardial infarction. *Cath Cardiovasc Diagn* 1990; 20:221-226.
- **Kereiakes DJ**, Weaver WD, Anderson JL, Aufderheide T, Martin LH, Anderson LC, Martin JS, Feldman T, Gibler WB, Teichman SL, McKendall G, Sherrid M. Time delays in the diagnosis and treatment of acute myocardial infarction: a tale of eight cities. *Am Heart J* 1990; 120:773-780.
- Bates ER, Clemmensen PM, Califf RM, Gorman LE, Aronson LG, George BS, **Kereiakes DJ**, Topol EJ, and the TAMI Study Group. Precordial ST segment depression predicts a worse prognosis in inferior infarction despite reperfusion therapy. *J Am Coll Cardiol* 1990; 16:1538-1544.
- Muller DW, Topol EJ, Califf RM, Sigmon KN, Gorman L, George BS, **Kereiakes DJ**, Lee KL, Ellis SG, and the TAMI Study Group. Relationship between antecedent angina pectoris and short-term prognosis after thrombolytic therapy for acute myocardial infarction. *Am Heart J* 1990; 119:224-231.
- Muller DWM, Topol EJ, George BS, **Kereiakes DJ**, Aronson LG, Lee KL, **Abbottsmith CW**, Ellis SG, Califf RM, and the TAMI Study Group. Two-year outcome after angiographically documented myocardial reperfusion for acute coronary occlusion. *Am J Cardiol* 1990; 66:796-801.
- Walker JG, **Young, JJ**, Mekhjian HS, Woltering EA, O'Dorisio TM. Corticosteroids Inhibit VIP-Induced Secretion in Rat Colon In Vitro. *Digestion*, 1990; Vol. 46, Suppl. I, Abstract#331 pg: 119.
- **Young, JJ**, O'Dorisio TM, Mekhjian HS, Walker JG. Corticosteroids Inhibit VIP-Induced Secretion in Rat Colon In Vitro. *The Ohio State University College of Medicine Research Forum*, 1990; Vol. 4, pg:58.
- Hoit BD, **Engel PJ**: Premature mitral valve opening: A new sign of severe mitral regurgitation. *Am J Noninvasive Cardiol* 4:373-375, 1990.

- Collins JA, Skidmore MA, Melvin DB, **Engel PJ**: Home intravenous dobutamine therapy in patients awaiting heart transplantation. *J Ht Transplantation* 9:205-208, 1990.
- **Engel PJ**: Effort intolerance in chronic heart failure: what are we Treating? *J Am Coll Cardiol* 15:995-998, 1990 (Editorial)
- Jaffe BD, **Broderick TM**, Leier CV. Cocaine-induced coronary-artery dissection. *N Engl J Med*. 1990 Oct;83(10):716-21. PMID:223008
- **Broderick TM**, Bourdillon PD, Dalsing M, Faris JV, Dillon JC. Peripheral cardiopulmonary support during high-risk angioplasty. *Indiana Med*. 1990 Oct;83(10) 716-21. PMID: 2230080
- **Broderick TM**, Bourdillon PDV, Dillon JC. Peripheral cardiopulmonary support during high risk angioplasty. *Indiana Medicine* 1990.
- **Broderick TM**, Sawada S, Bourdillon PDV, et al. Improvement in rest and exercise induced wall motion abnormalities following angioplasty: an exercise echo study. *J Am Coll Cardiol* 1990; 15:591-599
- Cucnoud HF, **Chung ES**, Raungaard B, Majno G, Joris I. Pathology of Coronary Atherosclerosis, First Annual Massachusetts Conference on Cholesterol, Marlborough, MA Jan 31, 1990.
- **Kereiakes DJ**, Stack RS. Perfusion Angioplasty. In Topol, EJ (ed.). *Cardiovascular Intervention*. W.B. Saunders Co., 1990.
- **Baker WB**, Klein MS, Rearden MJ, Verani MS, Zoghbi WA: Reversible cardiac dysfunction (hibernation) from ischemia due to compression of the coronary arteries by a pseudo aneurysm. *New England J Med* 325 (26): 1858-1861, 1991
- **English JL**, McKay DB, Lopez I, Sanchez PA, Wallace LJ. Characterization of Muscarinic Receptors of Bovine Adrenal Chromaffin Cells: Binding, Secretion and Anti-microtubule Drug Effects. *General Pharmacology* 1991;22(6):1185-1189.
- **Kereiakes DJ**, Topol EJ, George BS, Stack RS, **Abbottsmith CW**, Ellis S, Candela RJ, Harrelson L, Martin LH, Califf RM, and the TAMI Study Group. Myocardial infarction with minimal coronary atherosclerosis in the era of thrombolytic reperfusion. *J Am Coll Cardiol* 1991; 17:304-312.
- Gibler WB, **Kereiakes DJ**, Dean EN, Martin L, Anderson L, **Abbottsmith CW**, Blanton J, Blanton D, Morris JA, Gibler CD, Erb RE. Prehospital diagnosis and treatment of acute myocardial infarction: a north-south perspective. *Am Heart J* 1991; 121:1-11.
- Clemmensen P, Bates ER, Califf RM, Hlatky M, Aronson L, George BS, Lee KL, **Kereiakes DJ**, Gacioch G, Berrios E, Topol EJ, and the TAMI Study Group. Complete atrioventricular block complicating inferior wall acute myocardial infarction treated with reperfusion therapy. *Am J Cardiol* 1991; 67:225-230.
- Mark DB, Sigmon K, Topol EJ, **Kereiakes DJ**, Pryor DB, Candela RJ, Califf RM. Identification of acute myocardial infarction patients suitable for early hospital discharge after aggressive interventional therapy: results from the TAMI registry. *Circulation* 1991; 83:1186-1193.

- Sane DC, Stump DC, Topol EJ, Sigmon KN, Clair WK, **Kereiakes DJ**, George BS, Stoddard MF, Bates ER, Stack RS, Califf RM and the TAMI Study Group. Racial differences in responses to thrombolytic therapy with recombinant tissue-type plasminogen activator. *Circulation* 1991; 83:170-175.
- Ohman EM, Califf RM, George BS, Quigley PJ, **Kereiakes DJ**, Harrelson-Woodlief L, Candela RJ, Flanagan C, Stack RS, Topol EJ. The use of intraaortic balloon pumping as an adjunct to reperfusion therapy in acute myocardial infarction. *Am Heart J* 1991; 121:895-901.
- Califf RM, Topol EJ, Stack RS, Ellis SG, George BS, **Kereiakes DJ**, Samaha JK, Worley SJ, Anderson JL, Harrelson-Woodlief L, Wall TC, Phillips HR, **Abbottsmith CW**, Candela RJ, Flanagan WH, Sasahara AA, Mantell SJ, Lee KL,; for the TAMI Study Group. Evaluation of combination thrombolytic therapy and timing of cardiac catheterization in acute myocardial infarction: results of Thrombolysis and Angioplasty in Myocardial Infarction - Phase 5 randomized trial. *Circulation* 1991; 83:1543-1556.
- Ellis SG, DeCesare NB, Pinkerton CA, Whitlow P, King SB, Ghazzal Z, **Kereiakes DJ**, Popma JJ, Menke KK, Topol EJ, Holmes DR. Relation of stenosis morphology and clinical presentation to the procedural results of directional coronary atherectomy. *Circulation* 1991; 84:644-653.
- **Kereiakes DJ**, Califf RM, George BS, Ellis S, Samaha J, Stack R, Martin L, Young S, Topol EJ, and the TAMI Study Group. Coronary bypass surgery improves global and regional left ventricular function following thrombolytic therapy for acute myocardial infarction. *Am Heart J* 1991; 122:390-399.
- Sane DC, Stump DC, Topol EJ, Sigmon KN, **Kereiakes DJ**, George BS, Mantell SJ, Macy E, Collen D, Califf RM. Correlation between baseline plasminogen activator inhibitor levels and clinical outcome during therapy with tissue plasminogen activator for acute myocardial infarction. *Thrombosis and Haemostasis* 1991;65:275-9.
- Popma JJ, DeCesare NB, Ellis SG, Holmes DR, Pinkerton CA, Whitlow P, King SB, Ghazzal ZMB, Topol EJ, Garratt KN, **Kereiakes DJ**. Clinical, angiographic and procedural correlates of quantitative coronary dimensions following directional coronary atherectomy. *J Am Coll Cardiol* 1991; 18:1183-9.
- Tenaglia AN, Califf RM, Candela RJ, **Kereiakes DJ**, Berrios E, Young SY, Stack RS, Topol EJ. Thrombolytic therapy in patients requiring cardiopulmonary resuscitation. *Am J Cardiol* 1991; 68:1015-19.
- Muller DWM, Topol EJ, Ellis SG, Woodlief LH, Sigmon KN, **Kereiakes DJ**, George BS, Worley SJ, Samaha JK, Phillips H, Califf RM and the TAMI-5 Study Group. Determinants of the need for early acute intervention in patients treated conservatively after thrombolytic therapy for acute myocardial infarction. *J Am Coll Cardiol* 1991;18:1594-601.
- Gibler WB, **Kereiakes DJ**, Kowalenko T. Is out-of-hospital thrombolytic treatment for infarction practical? *Cardiol Board Review* 1991;8:88-98.
- Grines CL, Topol EJ, George BS, Young SY, **Kereiakes DJ**, Phillips HR, Woodlief LH, Califf RM, William Beaumont Hospital, Royal Oak, MI. Effect of cigarette smoking on outcome after thrombolytic therapy for myocardial infarction. *J Am Coll Cardiol* 1991; 17:185A.
- Ohman EM, Sigmon KN, Samaha JK, Stack RS, George BS, Pickel A, **Kereiakes DJ**, Lee KL, Califf RM, for the TAMI Study Group, Duke University Medical Center, Durham, NC. Prediction of reocclusion after successful reperfusion during acute myocardial infarction. *J Am Coll Cardiol* 1991; 17:187A.

- Ohman EM, George BS, **Kereiakes DJ**, Samaha JK, Topol EJ, Berrios ED, Sigmon KN, Califf RM, for the TAMI Study Group. Duke University Medical Center, Durham, NC. Event-free hospitalization after early and sustained patency using combination thrombolytic therapy in acute myocardial infarction. *J Am Coll Cardiol* 1991; 17:187A.
- Ghazzal ZMB, Douglas JS, Holmes DR, Ellis SG, **Kereiakes DJ**, Simpson JB, King SB, and the Directional Coronary Atherectomy Multicenter Investigational Group. Emory University School of Medicine, Atlanta, Georgia. Directional coronary atherectomy of saphenous vein grafts: recent multicenter experience. *J Am Coll Cardiol* 1991; 17:219A.
- **Kereiakes DJ**, Califf RM, George BS, Samaha J, Young SY, Anderson LC, Topol EJ, The Christ Hospital, Cincinnati, Ohio. Comparison of immediate and long term outcome of patients having emergent or deferred coronary bypass surgery following intravenous thrombolytic therapy for acute myocardial infarction. *J Am Coll Cardiol* 1991; 17:246A.
- DeCesare NB, Popma JJ, Whitlow PL, Pinkerton CA, **Kereiakes DJ**, Garratt KN, Ellis SG, University of Michigan, Ann Arbor, MI. Excision beyond the "normal" arterial wall with directional coronary atherectomy - acute and long-term outcome. *J Am Coll Cardiol* 1991; 17:384A.
- Hinohara T, Ghazzal ZMB, Cowley MJ, **Kereiakes DJ**, Bell MR, Steenkiste AR, for the NACI directional atherectomy investigators. Pre dilatation prior to directional coronary atherectomy; new approaches to coronary intervention registry. *Circulation* 1991; 84:II-521.
- Kleiman NS, Ohman EM, **Kereiakes DJ**, Ellis SG, Weisman HF, Topol EJ, for the TAMI 8 Investigators. Profound platelet inactivation with 7E3 shortly after thrombolytic therapy for acute myocardial infarction: preliminary results of the TAMI 8 trial. *Circulation* 1991; 84:II-522.
- Krucoff MW, Wagner BL, Sigmon KN, O'Connor CM, Granger CB, **Kereiakes DJ**, George BS, Wall TC, Samaha JK, and the TAMI 7 Study Group. The relative roles of clinical variables and continuous ST segment monitoring for "real time" noninvasive detection of reperfusion in the TAMI 7 trial. *Circulation* 1991; 84:II-117.
- **Baker WB**, Trakhtenbroit AD, Desir RM, Kleiman NS, Zoghbi WA: Adenosine echocardiography with or without handgrip in the diagnosis of coronary artery disease: Comparison with exercise echocardiography. *J Am Coll Cardiol* 17 (2) 278A, 1991
- **Baker WB**, Hays JT, Mahmarian JJ, Verani MS, Zoghbi WA: Comparison of Dobutamine echocardiography with simultaneous thallium-201 single photon emission tomography (SPECT) in the diagnosis of coronary artery disease. *Circulation* 84 (4): II-477, 1991
- **Chung ES**, Leeman SE, Cuonoud HF, The Effect of Neonatal treatment with Capsaicin on Focal Arteriolar Insudation. *Micro vascular Research*, 1991;42 (3):316-324.
- **Gupta,S** "Interpretation of Treadmill Stress Test in Patients with CAD receiving beta blocker therapy" *Journal of Asoc of physicians of India*, 39:2, 186, 1991
- Damle RS, **Pelberg, R**, Gullapali K, Khasho FH, Oba J, Kane B, Vonesh M, Green R, Hartz RS, Roth SI, McPherson DD: Evaluation of a New Intraoperative Arterial Excimer Laser System: Human Arterial Studies. *Clinical Research*. April 1991; Volume 39, Number 2: 394A.

- **Runyon JP**, Gerson MC: Noninvasive test selection in the Coronary Care Unit, *In Cardiac Nuclear Medicine*, 2nd ed., edited by Myon C. Gerson. McGraw Hill, New York, 1991, pp 337-386.
- Ohman EM, Marquis JF, Ricci DR, Brown RIG, Knudtson ML, **Kereiakes DJ**, Samaha JK, Margolis JR, Niederman AL, Dean LJ, Gurbel PA, Sketch MH, Wildermann NM, Lee KL, Califf RM. Effect of gradual prolonged inflation during angioplasty on in-hospital and long-term outcome: results of a multicenter randomized trial. *J Am Coll Cardiol* 1992; 19:33A.
- Popma JJ, DeCesare N, Pinkerton CA, **Kereiakes DJ**, Whitlow P, King SB, Topol EJ, Leon MB, Ellis SG. Restenosis after directional coronary atherectomy: an analysis of factors influencing late quantitative coronary dimensions. *J Am Coll Cardiol* 1992; 19:276A.
- Califf RM, Topol EJ, Ohman EM, **Kereiakes DJ**, George BS, Leimberger JD, Mark DB, Klinker KA and the TAMI Study Group. Isolated recurrent ischemia after thrombolytic therapy is a frequent, important and expensive adverse clinical outcome. *J Am Coll Cardiol* 1992; 19:301A.
- Ohman EM, Califf RM, Topol EJ, Leimberger JD, George B, Berrios ED, Anderson LC, **Kereiakes DJ**, Stack RS and the TAMI Study Group. Aortic counterpulsation with thrombolysis for myocardial infarction: salutary effect on reocclusion of the infarct related artery. *J Am Coll Cardiol* 1992; 19:381A.
- Tenaglia AN, Quigley PJ, **Kereiakes DJ**, **Abbott-Smith CW**, Phillips HR, Tchong JE, Rendall D, Ohman EM. Coronary angioplasty performed with gradual and prolonged inflation using a perfusion balloon catheter: procedural success and restenosis rate. *Am Heart J* 1992; 124:585-589.
- Popma JJ, Topol EJ, Hinohara T, Pinkerton CA, Baim DS, King SB, Holmes DR, Whitlow PL, **Kereiakes DJ**, Hartzler GO, Kent KM, Ellis SG, Simpson JB, for the U.S. Directional Atherectomy Study Group. Abrupt vessel closure after directional coronary atherectomy. *J Am Coll Cardiol* 1992; 19:1372-9.
- Wall TC, Califf RM, George BS, Ellis SG, Samaha JK, **Kereiakes DJ**, Worley SJ, Sigmon K, Topol EJ, for the TAMI 7 Study Group. Accelerated plasminogen activator dose regimens for coronary thrombolysis. *J Am Coll Cardiol* 1992; 19:482-489.
- Kowalenko T, **Kereiakes DJ**, Gibler WB. Prehospital diagnosis and treatment of acute myocardial infarction: a critical review. *Am Heart J* 1992; 123:181-90.
- Popma JJ, Califf RM, Ellis SG, George BS, **Kereiakes DJ**, Samaha JK, Worley SJ, Anderson JL, Stump D, Woodlief L, Sigmon K, Wall TC, Topol EJ. Mechanism of benefit of combination thrombolytic therapy for acute myocardial infarction: a quantitative angiographic and hematologic study. *J Am Coll Cardiol* 1992; 20:1305-12.
- **Kereiakes DJ**, Gibler WB, Martin LH, Pieper KS, Anderson LC and the Cincinnati Heart Project Study Group. Relative importance of emergency medical system transport and the prehospital electrocardiogram on reducing hospital time delay to therapy for acute myocardial infarction: a preliminary report from the Cincinnati Heart Project. *Am Heart J* 1992; 123:835-840.
- DeCesare NB, Popma JJ, Holmes DR, Dick RJ, Whitlow PL, King SB, Pinkerton CA, **Kereiakes DJ**, Topol EJ, Haudenschild CC, Ellis SG. Clinical angiographic and histologic correlates of ectasia after directional coronary atherectomy. *Am J Cardiol* 1992; 69:314-19.

- **Shea P**, Mechanical Right Coronary Artery Shortening and Vessel Wall Invagination: A Fourth Cause of Iatrogenic Coronary Obstruction, A case report and review of the literature. *Catheterization and Cardiovascular Diagnosis* 26:136-139, 1992.
- Gibler WB, Walsh RA, Levy RC, **Runyon JP**: Rapid Diagnostic and Treatment Center in the Emergency Department for Patients With Chest Pain. *Circulation* 86(4):56, 1992.
- Gibler WB, Walsh RA, Levy RC, **Runyon JP**: Rapid Diagnostic and Treatment Center in the Emergency Department for Patients with Chest Pain. Submitted *American Heart Association*, 65th Scientific Sessions, November, 1992.
- Lowry RW, Zoghbi WA, **Baker WB**, Wray RA Quinones MA: Clinical impact of Transesophageal echocardiography in the diagnosis and management of infective endocarditis: Significance of a negative finding. *J Am Coll Cardiol* 19 (3): 273A, 1992
- Tawa CB, **Baker WB**, Trakhtenbroit RM, Zoghbi WA: Comparison of adenosine echocardiography (with or without handgrip) to exercise echocardiography in the detection of coronary artery disease. *Circulation* 86 (4): 1-863, 1992
- Sprecher DL, Mellies MJ, **Schneider JF**, Glueck CJ, Tracy T, Stanforth D, Dehne N, Harris BV, Kirkeeide RL, Speirs , Laskarzewski PM, Huster G. Stabilization and regression of coronary artery atherosclerosis associated with increments in apolipoprotein A1: A 3 year therapeutic angiographic trial in hypertriglyceridemic, hypoalphalipoproteinemic patients. *Clinical Research* 40: (2) 220A, 1992
- **Shea P**, Kenneth Schechtman, Roop Lai, Sung Soon Kim, Rudolph Ruffy: Amiodarone-Flecainide Interaction (abstract). *J. American College of Cardiology* Vol. 7, NO. 2, 93A
- **Clarke GB**, Sawada SG. Dobutamine stress Echocardiography for evaluating coronary artery disease. *Primary Cardiology* 1992;18-87-93.
- **Clarke GB**, Segar DS, Sawada SG, Feigenbaum H, Ryan T. Accuracy of bicycle stress Echocardiography in detecting the location and extent of coronary artery lesions. *Clinical Research*, October, 1992.
- **Mazur W**, French BA, Finnigan JP, Churchill DA, Grinstead WC, SiegelCrommens DM, Rodgers GP, Roberts R, Raizner AE. Percutaneous transluminal gene transfer into intact porcine coronary arteries via infusion balloon catheter: Influences of delivery volume and pressure. Restenosis Summit IV Proc, Cleveland Clinic, 1992
- French BA, **Mazur W**, Finnigan JP, Grinstead WC, Schulz DG, Crommens DM, Rodgers GP, Roberts R, Raizner AE. Gene transfer into intact porcine coronary arteries via infusion balloon catheter: Influences of delivery volume and pressure. *Circulation* 1992; 86:1-799
- Grinstead WC, Rodgers GP, **Mazur W**, French BA, Crommens DM, West MS, Raizner AE. Comparison of three models of restenosis. *Circulation* 1992; 86;1-846.
- **Mazur W**, Ali MN, Finnigan JP, Schulz DG, Crommens DM, Rodgers GP, Roberts R, Raizner AE, French BA. Direct gene transfer into the coronary arteries of intact animals via infusion balloon catheters: Comparison of canine and porcine model systems. *J AM Coll Cardiol* 1993; 21:186A.
- **Mazur W**, Finnigan JP, Roberts R, Raizner AE, French BA. The efficiency of lipofectin mediated gene transfer into porcine and human coronary smooth muscle cells is dramatically improved by the influenza virus hemagglutinin antigen. *J AM Coll Cardiol* 1993; 321:186A

- Finnigan JP, **Mazur W**, Roberts R, Raizner AE, French BA. Chloriquine substantially enhances lipofectin-mediated gene transfer in cultured porcine coronary arterial smooth muscle cells. *J AM Coll Cardiol* 1993; 21:478A.
- **Baker WB**, Klein MS, Zoghbi WA: Left ventricular pseudo aneurysm complicating mitral valve replacement: Transesophageal echocardiographic diagnosis and impact on management. *J Am Soc Echo* 6 (5): 548-552, 1993
- **Mazur W**, Ali MN, Finnigan JP, Crommens DM, Raizner AE, French BA. Efficient in vivo gene transfer into porcine coronary arteries using recombinant adenoviral vectors. *J Cell Biochem* 1993; 17E: 226.
- **Mazur W**, Ali MN, Rodgers GP, Crommens DM, French BA, Raizner AE. Directional atherectomy with Omnicathâ: A unique new catheter system. *SCA&I Proc*: 84; 1993.
- **Mazur W**, Ali MN, Finnigan JP, Raizner AE, French BA. Influenza hemagglutinin enhancement of lipofectin-mediated gene transfer into human, porcine and canine coronary smooth muscle cells in vitro: Comparison with recombinant adenovirus. *Restenosis Summit V Proc*, Cleveland Clinic, 1993.
- Ali MN, **Mazur W**, Rodgers GP, French BA, Raizner AE. Recombinant adenovirus- mediated in vivo gene transfer into porcine coronary arteries: Time course of reporter gene expression. *Restenosis Summit V Proc*, Cleveland Clinic, 1993.
- Blankenship DC, Hug G, Balko G, van der Bel-Kahn J, Coith RL, **Engel PJ**: Hemodynamic and myocyte mitochondrial ultrastructural abnormalities in a man with arrhythmogenic right ventricular dysplasia. *Am Heart J* 126:989-995, 1993.
- Gulizia JM, **Engel PJ**, McManus BM: Acute rheumatic carditis: Diagnostic and therapeutic challenges in the era of heart transplantation. *J Heart Lung Transplant* 12:372-380, 1993.
- **Kereiakes DJ**. The Evolving Role of Coronary Bypass Surgery in the Treatment of Acute Myocardial Infarction. In Bates ER (ed). Adjunctive Therapy for Acute Myocardial Infarction. Marcel Dekker, Inc. 1993.
- Kent KM, Williams DO, Cassagneau B, **Broderick T**, Chapekis A, Simpfendorfer C, Cote G, Bates E, Tauscher G, Kuntz RE, Popma JJ, Foegh M. Double blind, controlled trial of the effect of angiopeptin on coronary restenosis following balloon angioplasty. *Circulation* 1993; 88:1-506.
- **Clarke GB**, Ryan T. Dobutamine stress Echocardiography. *Choices in Cardiology* 1993;7:228-230.
- **M Saha**, MR Muppala, JE Castaldo, W Gee, JF Reed 3d, DL Morris, "The Impact of Cardiac Index on Cerebral Hemodynamics," *Stroke*, 24(11): 1686-90 (Nov. 1993).
- **M Saha**, TF Farrand, and KA Brown, "Lung Uptake of Tc-99m - Relation to Clinical, Exercise, Hemodynamic, and Left Ventricular Function Variables," Presented at the *ACC Annual Conference* (February 1993), Anaheim, CA, and at the 1st Annual Conference of the *American Society of Nuclear Cardiology* (April 1993), Cannes, France
- Kent KM, Williams DO, King SB, **Broderick T**, Chapekis A, Simpfendorfer C, Hinohara T, Kuntz RE, Popma JJ. Acute procedural and angiographic outcome in the angiopeptin for the prevention of restenosis after directional coronary atherectomy trial. *Circulation* 1993; 88:1-546.

- Popma JJ, Kent KM, Williams DO, Cassagneau B, **Broderick T**, Chapekis A, Simpfendorfer C, Cote G, Bates ER, Kuntz RE. Late restenosis after balloon angioplasty is primarily determined by the acute angiographic result. *Circulation* 1993; 88:1-655.
- **Answini GA**, Winand D, Badellino MM, Buckman RF: Comparison of Chest Compression versus Direct Cardiac Compression using a Balloon Trocar Device and Evaluation of Differences in End Organ Perfusion in a Porcine Model. Abstract, September 1993.
- Tawa CB, **Baker WB**, Verani MS, Trakhtenbroit AD, Zoghbi WA: Comparison of adenosine-handgrip echocardiography with exercise thallium-201 single photon emission tomography (SPECT) in the assessment of coronary artery disease. *J Am Soc Echo* 6 (3): S17, 1993
- **Clarke GB**, Segar DS, Sawada SG, Burt RW, Vix VA, Foltz J, Feigenbaum H. Preoperative risk assessment prior to major vascular surgery; a prospective trial comparing dipyridamole thallium scintigraphy and Dobutamine stress Echocardiography. *Journal of the American College of Cardiology* 1993; 21:442A.
- Grinstead WC, Rodgers GP, **Mazur W**, Crommens DM, French BA, West MS, Raizner AE. Amiprilose as a restenosis inhibitor in the swine mode. *Cor Art Dis* 1993; 277-81.
- Kirshenbaum LA, Maclellan WR, **Mazur W**, French BA, Schneider MD. Highly efficient gene transfer into adult ventricular myocytes by recombinant adenovirus. *J Clin Invest* 1993; 92:381-87.
- Zhang WW, Fang X, Branch DC, **Mazur W**, French BA, Roth JA. Generation and identification of recombinant adenovirus by liposome-mediate transfection and PCR analysis. *BioTechniques* 1993; 15:868-72.
- Popma JJ, DeCesare NB, Pinkerton CA, **Kereiakes DJ**, Whitlow P, King SB, Topol EJ, Leon MB, Ellis SG. Quantitative analysis of factors influencing late lumen loss and restenosis after directional coronary atherectomy. *Am J Cardiol* 1993; 71:552-557.
- Wall TC, Califf RM, Ellis SG, Sigmon K, **Kereiakes DJ**, George BS, Samaha J, Sane D, Stump DC, Stack RS, Topol EJ. Lack of impact of early catheterization and fibrin specificity on bleeding complications following thrombolytic therapy. *J Am Coll Cardiol* 1993; 21:597-603.
- Chapman GD, Ohman EM, Topol EJ, Candela RJ, **Kereiakes DJ**, Samaha J, Berrios E, Pieper KS, Young SY, Califf RM. Minimizing the risk of inappropriately administering thrombolytic therapy (Thrombolysis and Angioplasty in Myocardial Infarction [TAMI] Study Group). *Am J Cardiol* 1993;71:783-787.
- George BS, Voorhees, WD, Roubin GS, Fearnot NE, Pinkerton CA, Raizner AE, King SB, Holmes DR, Topol EJ, **Kereiakes DJ**, Hartzler GO. Multicenter investigation of coronary stenting to treat acute or threatened closure after percutaneous transluminal coronary angioplasty: clinical and angiographic outcomes. *J Am Coll Cardiol* 1993; 22:135-43.
- Harrison JK, Califf RM, Woodlief LH, **Kereiakes DJ**, George BS, Stack RS, Ellis SG, Lee KL, O'Neill W, Topol EJ. Systolic left ventricular function after reperfusion therapy for acute myocardial infarction: an analysis of determinants of improvement. *Circulation* 1993;87:1531-1541.
- Kleiman NS, Ohman EM, Califf RM, George BS, **Kereiakes DJ**, Aguirre F, Bates E, Schaible T, Topol EJ. Profound inhibition of platelet aggregation with monoclonal antibody 7E3 Fab following thrombolytic therapy: results of the TAMI 8 pilot study. *J Am Coll Cardiol* 1993; 22:381-9.

- Krucoff MW, Croll MA, Pope JE, Granger CB, O'Connor CM, Sigmon KN, Wagner BL, Ryan JA, Lee KL, **Kereiakes DJ**, Samaha JK, Worley SJ, Ellis SG, Wall TC, Topol EJ, Califf RM. Continuous 12-lead ST segment recovery analysis in the TAMI 7 study: Performance of a noninvasive method for real time detection of failed myocardial reperfusion. *Circulation* 1993; 88:437-446.
- Ohman EM, Christenson RH, Califf RM, George BS, Samaha JK, **Kereiakes DJ**, Worley SJ, Wall TC, Berrios E, Sigmon KN, Lee K, Topol EJ, and the TAMI 7 Study Group. Noninvasive detection of reperfusion after thrombolysis based on serum CK-MB changes and clinical variables. *Am Heart J* 1993; 126:819-26.
- Baim DS, Hinohara T, Holmes D, Topol E, Pinkerton C, King SB, Whitlow P, **Kereiakes D**, Farley B, Simpson JB. Results of directional coronary atherectomy during multicenter preapproval testing. *Am J Cardiol* 1993; 72:6E-11E.
- Granger CB, Califf RM, Young S, Candela R, Samaha J, Worley S, **Kereiakes DJ**, Topol EJ. Outcome of patients with diabetes mellitus and acute myocardial infarction treated with thrombolytic agents. *J Am Coll Cardiol* 1993; 21:920-5.
- Ryan TJ, Bauman WB, Kennedy JW, **Kereiakes DJ**, King SB, McCallister BD, Smith SC, Ulliyot DJ. Revised ACC/AHA guidelines for percutaneous transluminal coronary angioplasty: A report of the American College of Cardiology/American Heart Association Task Force on Assessment of Diagnostic and Therapeutic Cardiovascular Procedures. *J Am Coll Cardiol* 1993; 22:2033-54.
- Ohman EM, Topol EJ, Califf RM, Bates ER, Ellis SG, **Kereiakes DJ**, George BS, Samaha JK, Kline E, Sigmon KN, Stack RS, and the Thrombolysis and Angioplasty in Myocardial Infarction (TAMI) study group. An analysis of the cause of early mortality after administration of thrombolytic therapy. *Coronary Artery Disease* 1993; 4:957-964.
- **Kereiakes DJ**, Knudtson ML, Ohman EM, **Broderick TM**, Marquis J, Gurbel PA, Tchong JE, Owens P, Sketch MH for the PBC Study Group. Prolonged dilatation improves initial results during PTCA of complex coronary stenoses: results from a randomized trial. *J Am Coll Cardiol* 1993; 21:290A.
- Tchong JE, Ellis S, Kleiman NS, Harrington RA, Mick MJ, Navetta FI, Worley S, Smith JE, **Kereiakes DJ**, Kitt MM, Miller JA, Sigmon KN, Califf RM, Topol EJ. Outcome of patients treated with the GPIIb/IIIa inhibitor integrelin during coronary angioplasty: results of the IMPACT study. *Circulation* 1993; 88:1-595.
- Boehrer JD, **Kereiakes DJ**, Navetta FI, Califf RM, Topol EJ. Profound platelet inhibition does not increase emergency bypass surgery complications: the EPIC experience. *J Am Coll Cardiol* 1994;105A.
- Ellis S, Lincoff AM, George BS, **Kereiakes DJ**, Krucoff MW, Ohman EM. Randomized evaluation of coronary angioplasty for early TIMI 2 flow after thrombolytic therapy for acute myocardial infarction. *J Am Coll Cardiol* 1994; (244A).
- Chesebro JH, Foster V, Califf RM, Harrington R, Kleiman NS, **Kereiakes DJ**, Cohen M, Chapekis A, Gold HK, Bear P, Rao AK, DeBowel D. Recombinant hirudin for unstable angina: A pilot multicenter randomized angiographic trial. *J Am Coll Cardiol* 1994;363A.
- **Kereiakes D**, Kleiman N, Ambrose J, Cohen M, Rodriguez S, Palabrica T, Herrmann HC, Sutton J, Weaver WD, McKee D, Sax FL. A dosing study in high-risk PTCA of MK-383, a platelet IIb/IIIa antagonist. *Circulation* 1994; 90:1-21(103).

- Ohman EM, Kleiman NS, Talley JD, Gacioch G, Navetta FI, Carney RJ, Worley S, Anderson HV, Cohen M, **Kereiakes D**, Joseph D, Sigmon KN, Topol EJ for the IMPACT-AMI study group. Simultaneous platelet glycoprotein IIb/IIIa integrin blockade with accelerated tissue plasminogen activator in acute myocardial infarction. *Circulation* 1994; 90:1-564(3036).
- **Kereiakes DJ**, Sketch M, Stack RS. Perfusion angioplasty. In Topol EJ (ed.). Cardiovascular Intervention. W. B. Saunders Co. Second Edition, 1994.
- Sutton JM, Ellis SG, Roubin GS, Pinkerton CA, King SB, Raizner AE, Holmes DR, **Kereiakes DJ**, Topol EJ. Major clinical events after coronary stenting: the multicenter registry of acute and elective Gianturco-Roubin stent placement. *Circulation* 1994;89:1126-1137.
- Ohman EM, Marquis JF, Ricci DR, Brown RIG, Knudtson ML, **Kereiakes DJ**, Samaha JK, Margolis JR, Niederman AL, Dean LS, Gurbel PA, Sketch MH, Wildermann NM, Lee KL, Califf RM. A randomized comparison of the effects of gradual prolonged versus standard primary balloon inflation on early and late outcome: results of a multicenter clinical trial. *Circulation* 1994;89-1118-1125.
- Flaherty JT, Pitt B, Gruber JW, Heuser RR, Rothbaum DA, Burdwell LR, George BS, **Kereiakes DJ**, Deitchman D, Gustafson N, Brinker JA, Becker LC, Mancini GBJ, Topol E, Werns SW. Recombinant human superoxide dismutase (h-SOD) fails to improve recovery of ventricular function in patients undergoing coronary angioplasty for acute myocardial infarction. *Circulation* 1994;89:1982-1991.
- Topol EJ, Fuster V, Harrington RA, Califf RM, Kleiman NS, **Kereiakes DJ**, Cohen M, Chapekis A, Gold HK, Tannenbaum MA, Rao AK, Debowey D, Schwartz D, Henis M, Chesebro J. Recombinant hirudin for unstable angina pectoris: a multicenter randomized angiographic trial. *Circulation* 1994;89:1557-1566.
- The EPIC Investigators. Use of a monoclonal antibody directed against the platelet glycoprotein IIb/IIIa receptor in high-risk coronary angioplasty. *N Engl J Med* 1994;330:956-61.
- Tcheng JE, Ellis SG, George BS, **Kereiakes DJ**, Kleiman NS, Talley JD, Wang AL, Weisman HF, Califf RM, Topol EJ. Pharmacodynamics of chimeric glycoprotein IIb/IIIa integrin antiplatelet antibody fab 7E3 in high-risk coronary angioplasty. *Circulation* 1994; 90:1757-1764.
- **Kereiakes DJ**, Shaw RB (guest moderators). Improving outcomes in patients at higher risk of ischemic complications during and after PTCA. *J Invas Cardiol* 1994; 6:43A-56A.
- Boehrer JD, **Kereiakes DJ**, Navetta FI, Califf RM, Topol EJ. Effects of profound platelet inhibition with c7E3 before coronary angioplasty on complications of coronary bypass surgery. *Am J Cardiol* 1994; 74:1166-70.
- **Shea P**, Mechanical Coronary Artery Shortening with Vessel Wall Deformity During Directional Coronary Atherectomy: First Reported Case Involving the Left Anterior Descending Artery. *Catheterization and Cardiovascular Diagnosis* 1994 Nov; 33(3):2414
- **M Saha**, TF Farrand, and KA Brown, "Lung Uptake of Tc-99m: Relation to Clinical, Exercise, Hemodynamic and Left Ventricular Function Variables," *Journal of Nuclear Cardiology*, 1; 52-6 (Jan. 1994)
- MD Tischler and **M Saha**, "Pulmonary Hypertension in Chronic Hemodialysis Patients," *Cardiovascular Reviews and Reports*, Nov. 94: 29-31 & 66

- **Mazur W**, Ali MN, Rodgers GP, Schultz DG, French BA, Raizner AE. Directional arterectomy with Omnicathâ: A unique new catheter system. Catheter CV Diag 1994; 31:79-84.
- **Mazur W**, Ali MN, Raizner AE, French BA. Coronary restenosis and gene therapy. Tex Heart Inst J 1994; 21:104-11.
- Grinstead WC, Rodgers GP, **Mazur W**, Crommens DM, French BA, West AM, Raizner AE. A comparison of three porcine restenosis models: The relative importance of coronary abrasion, hypercholesterolemia and stenting. Cor Art Dis 1994; 5:425-34.
- **Mazur W**, Ali MN, Grinstead WC, Schulz DG, Raizner AE, French BA. Lipofectin-versus adenovirus-mediated gene transfer in vivo and in vitro. Comparison of canine and porcine model systems. Cor Art Dis 1994; 5:779-86.
- **Mazur W**, Grinstead WC, Hakim AN, Dabaghi SF, Abukhalil JM, Ali MN, Joseph J, French BA, Raizner AE. The fate of side branches after intracoronary implantation of the Flex-Stent for acute or threatened closure. Am J Cardiol 1994; 74:1207-10?
- French BA, **Mazur W**, Ali MN, Roberts R, Raizner AE. Efficient transcatheter gene transfer in vivo by recombinant adenovirus into normal, atherosclerotic and restenotic porcine coronary arteries. Circulation 1994; 90:2402-13.
- French BA, **Mazur W**, Geske RA, Bolli R. Direct in vivo gene transfer into porcine myocardium using replication-deficient adenoviral vectors. Circulation 1994; 90:2414-24.
- Zhang WW, Fang X, **Mazur W**, French BA, Georges RN, Roth JA. High-efficiency gene transfer and high-level expression of wild-type p53 in human lung cancer cells mediated by recombinant adenovirus. Cancer Gene Therapy 1994; 1:5-13.
- Gibler WB, Sayre MR, Levy RC, **Runyon JP**, Kacich R, Hamilton C, Walsh RA: Serial 12-lead electrocardiographic monitoring in patients presenting to the Emergency Department with chest pain. *J Electrocardiol* 26(Suppl):238-243, 1994.
- **Clarke GB**, Sapin PM, Schroeder KM, Gopal AS, Smith MD, O'Connor WN, King DL. Measuring the extent of dyssynergy in canine acute infarction: Three-dimensional echo is superior to two-dimensional echo. *Journal of the American Society of Echocardiography* 1994; 7:S45.
- Sapin PM, **Clarke GB**, Gopal AS, Schroeder KM, Smith MD, O'Connor WN, King DL. Three-dimensional echocardiographic quantitation of wall motion abnormality in canine acute infarction. *Journal of the American Society of Echocardiography* 1994; 7:S45.
- Jaffe BD, **Broderick TM**, Leier CV. Cocaine-induced coronary artery dissection. *N Engl J Med* 1994; 330:510-511.
- Mital A, **Broderick TM**, Shrey DE, Daleiden, JE. Ergonomics and cardiac rehabilitation. International Ergonomics Association '94, Vol. 3, specialized conference on rehab.
- **Mazur W**, Grinstead WC, Hakim AH, Dabaghi SF, Abukhalil JM, Ali MN, French BA, Raizner AE. The fate of coronary artery side branches after Flex-Stent implantation. Cathet CV Diag 1994; 32:98.

- Ali MN, **Mazur W**, Rodgers GP, Schulz DG, Roberts R, Raizner AE, French BA. Persistence of luciferase gene expression following adenovirus-mediated in vivo direct gene transfer into porcine coronary arteries. J AM Coll Cardiol 1994; 195A.
- French BA, **Mazur W**, Geske RS, Bolli R. Feasibility and limitations of direct in vivo gene transfer into porcine myocardium using replication deficient adenoviral vectors. Circulation 90:1-239; 1994.
- Ali MN, **Mazur W**, Kleiman NS, Rodgers GP, Schulz D, Abukhalil JM, French BA, Raizner AE. Inhibition of coronary restenosis by antithrombin II in atherosclerotic swine. Circulation 1994; 90:1-239.
- **Mazur W**, Ali MN, Dabaghi SF, Grinstead WC, Abukhalil J, Paradis P Jr, De Felice CA, Schulz D, Berner BM, Fajardo LF, Branch BA, Raizner AE. High dose rate intracoronary radiation suppresses neointimal proliferation in the stented and ballooned model of porcine restenosis. Circulation 1994; 90:1-652.
- **Mazur W**, Ali MN, Finnigan JP, Schulz DG, Rodgers GP, Roberts R, Raizner AE, French BA. Replication deficient adenoviral vectors mediate efficient direct in vivo gene transfer into normal and injured porcine coronary arteries. J Cell Biochem Suppl 1994; 18A: 243.
- Zhang WW, Fang X, **Mazur W**, French BA, George RN, Roth JA. High-efficiency gene transfer and high level expression of wild type p53 in human lung cancer cells mediated by recombinant adenovirus. J Cell Biochem Suppl 1994; 18A: 248.
- French BA, Ali MN, **Mazur W**, Rodgers GP, Schulz DG, Rodgers R, Raizner AE. Persistence of luciferase gene expression following adenovirus mediated in vivo direct gene transfer into porcine coronary arteries. J Cell Biochem Suppl 1994; 18A: 241.
- Anderson KP, **Schloss EJ**. "ESVEM Tells Us What We Don't Know." (Letter) Circulation 92:3144, November 15, 1995.
- Gibler WB, **Runyon JP**, Levy RC, Sayre MR, Kacich R, Hattermer CR, Hamilton C, Gerlach JW, Walsh RA. A Rapid Diagnostic and Treatment Center for Patients With Chest Pain in the Emergency Department. Ann Emerg Med 1995;25:1-8.
- Gopinathan SK(Menon), Karwande SV. Current Trends in Cardiac Transplantation. Indian Heart J 47:323-329, 1995
- Gopinathan SK(Menon), Zhao L, Carlquist JF, Barry WH. Caffeine inhibits lymphocyte activation and decreases CTL-induced myocyte injury. Circulation Supplement 1 Vol 92, No 8. 1995.
- Gopinathan SK(Menon), Xu S, Zhao L, Shelby J, Barry WH. Depletion of Cytotoxic T Lymphocytes (CTL) improves contractile function of rejection mouse cardiac allografts. J Investig Med Vol 44, No 1, 122A. Jan. 1996.
- French BA, **Mazur W**, Ali MN, Geske RS, Schulz DG, Raizner AE. Inflammations following adenovirus-mediated direct gene transfer into porcine coronary arteries and strategies for its control. J Am Coll Card 1995; 324A.
- **Broderick TM**, Wolf RK. Coronary angioplasty to relieve a kinked venous bypass conduit. Cathet Cardiovasc Diagn. 1995 Jun;35(2):161-4. PMID: 7656312

- **Broderick TM**, Wolf RK. Coronary angioplasty to relieve a kinked venous bypass conduit. *Cath Cardiovasc Diagn* 1995; 35:161-164.
- Mital A, Shrey DE, **Broderick TM**, Kumar GM, Brown KC, Gustin BW. Cardiac rehabilitation: current status and future trends. *Crit Review Physical and Rehabilitation Med* 1995;7(1):33-49.
- Sapin PM, **Clarke GB**, Gopal AS, Smith MD, O'Connor WS, Schroeder KM, King DL. Superiority of 3D echo vs 2D echo for quantitating wall motion abnormality as an index of myocardial infarction size. *Journal of the American College of Cardiology* 1995; February 1995.
- **Clarke GB**, Salley RK, Sapin PM, Xie GY, Gross, DR, Smith MD. Echocardiographic assessment of valvular function in patients undergoing replacement of the aortic valve with a pulmonary autograft. *Journal of the American Society of Echocardiography* June, 1995.
- Bhagwat AR, **Engel PJ**: Heart Disease and Pregnancy. *Cardiology Clinics* 13:163-178, 1995.
- Grines CL, Topol EJ, O'Neill WW, George BS, **Kereiakes DJ**, Phillips HR, Leimberger JD, Woodlief LH, Califf RM. Effect of cigarette smoking on outcome after thrombolytic therapy for myocardial infarction. *Circulation* 1995; 91:298-303.
- Tcheng JE, Harrington RA, Kottke-Marchant K, Kleiman NS, Ellis SG, **Kereiakes DJ**, Mick MJ, Navetta FI, Smith JE, Worley SJ, Miller JA, Joseph DM, Sigmon KN, Kitt MM, duMee CP, Califf RM, Topol EJ for the IMPACT Investigators. Multicenter, randomized, double-blind, placebo-controlled trial of the platelet integrin glycoprotein IIb/IIIa blocker integrelin in elective coronary intervention. *Circulation* 1995;91:2151-2157.
- **Kereiakes DJ**, Sketch MH Jr., Ohman EM for the Perfusion Catheter Study Group. Perfusion balloon angioplasty in patients with complex coronary lesion morphology. *J Invas Cardiol* 1995;7(Suppl B):4B-9B.
- Barbagelata A, Granger CB, Topol EJ, Worley SJ, **Kereiakes DJ**, George BS, Ohman EM, Leimberger JD, Mark DB, Califf RM for the TAMI Study Group. Frequency, significance, and cost of recurrent ischemia after thrombolytic therapy for acute myocardial infarction. *Am J Cardiol* 1995;76:1007-1013.
- Christenson RH, Ohman EM, Topol EJ, O'Hanesian M, Sigmon KN, Duh SH, **Kereiakes D**, Worley SJ, George BS, Pizzo CK, Wall TC, Califf RM for the TAMI study group. Characteristics of creatine kinase MM and MB isoforms in patients receiving thrombolytic therapy and acute angiography. *Clin Chem* 1995;41/6:844-852.
- **Kereiakes DJ**, Jones RH. Surgical coronary revascularization during acute myocardial infarction. In Wagner GS, Mark D, Califf RM (eds). Acute Coronary Care in the Thrombolytic Era. Mosby-Yearbook Publishers, Inc. Second Edition, 1995.
- Sheldon WS, Pieper K, **Kereiakes DJ**, Topol EJ for the GUSTO-I Investigators. Characterization of minimal lesion syndrome after thrombolytic therapy for acute myocardial infarction. *Circulation* 1995;92:1-531(2534).